




**r a c k m o u n t**  
**t r a n s p o r t s y s t e m s**



**The GigRig® family**

**The Studio Flyer series**

**Standard Racks**

**Shallow Racks**

**Ultimate Strength Roto Racks**

**Roto Shockmount Racks - 20" Deep**

**Roto Shockmount Racks - 24", 28" & 30" Deep**

**Roto Shockmount Rolling Racks**

**Roto Rolling Racks**

**Roll-X Rack Cases**

**w w w . s k b c a s e s . c o m**

# The Mighty GigRig<sup>®</sup>

bold, versatile, adaptable, expandable



## The Mighty GigRig<sup>®</sup> 1SKB19-R1406

The Mighty GigRig Rolling Rack System has been redesigned from the ground up. The roto molded design features a deeper and longer angled top rack space (14U+) providing ample room for larger analog and digital mixers such as the Yamaha 01V96, Allen & Heath Mix Wizard, and Mackie Onyx. The deep design allows for up to 12U of vertical rack space (6U front rails standard with 6U optional rear rack rails).

The cover can be used as a pedestal for the Mighty GigRig which places the mixer at proper mixing height. When packed, the cover will fit over installed XLR cable connectors (top or rear mounted). The Mighty GigRig includes four over-molded lift handles and four locking casters (locks both caster roll and caster swivel).

Amazing adaptability and rugged versatility



Includes four over-molded lift handles and four locking casters (locks both caster roll and caster swivel)



When packed, the cover will fit over installed XLR cable connectors (top or rear mounted)



## The Mighty GigRig® Expander 1SKB19-REX6

The 1SKB-REX6 Expander Rack adds rack space to the 1SKB19-R1406 Mighty GigRig. The roto molded 6U Expander Rack case features a 6U extended depth rack that can be locked securely to the bottom of the Mighty GigRig for a total of 12U of rack space on the front of the combined units. As with the Mighty GigRig, the REX6 Expander accepts 6U rear rack rails for additional rack space. By removing the top lid, the Expander Rack provides full cable routing access through the bottom of the Mighty GigRig, making the unit the perfect solution for housing all of your electronics and sound gear while keeping it all connected. The full sized front and back doors are lockable to secure the contents.




1SKB19-REX6



## GigSafe™ 1SKB19-R1400

The GigSafe takes the top 14U+ rack spaces of the Mighty GigRig and puts it in an easier to handle case. The GigSafe includes two large side mounted handles



that allow the load to be balanced when carrying. The lid is extended so XLR cables can remain plugged into the mixer. The GigSafe also

includes four recessed latches that can be used to secure to the top of the 1SKB-REX6 Expander Rack to provide the same amount of mounting rack units as the Mighty GigRig. With the addition of the 1SKB-R3224 wheel dolly, the GigSafe and Expander can be maneuvered with ease.

1SKB19-R1400



## A/V Shelf for Mighty GigRig® 1SKB-AV14

The 1SKB-AV14 is a uniquely designed scissor hinged shelf that puts a shelf just where it is needed. The hook and loop surface of the A/V shelf is ideal for laptop computers, projectors, or monitors. The scissor design allows the shelf to remain connected to the Mighty GigRig or GigSafe while the lid is closed. The steel arms only require 2U of rack space for secure mounting.

1SKB-AV14



# The Original GigRig®

durable mobile rackmount systems that set an industry standard

## Roto GigRig® 1SKB19-R1010 1SKB19-R1010V

The **1SKB19-R1010** Roto GigRig has set the standard for many years. The roto molded design includes 10U of angled rack space on the top for mixers and 10U of vertical rack space for outboard effects and amps. The top, front and back lids lock securely together for safe transport while the four casters lock both caster roll and caster swivel. The **1SKB19-R1010V** Roto GigRig shares all of the same specifications but adds a completely adjustable pop-up hook and loop fastener board on top to accommodate a wide variety of smaller mixers and or accessories.



1SKB19-R1010



1SKB19-R1010V

## Roto Mini GigRig® 1SKB19-R1006 1SKB19-R1006V

The **1SKB19-R1006** Roto Mini GigRig is the little brother of the Roto GigRig. The Mini GigRig shares the same 10U angled rack space on the top for mixers but with 6U of vertical rack space. The Roto Mini GigRig is ideal for table top mixing or for medium sized PA systems that do not require as much outboard rack gear. The **1SKB19-R1006V** Roto Mini GigRig includes a completely adjustable pop-up hook and loop fastener board on top to accommodate a wide variety of smaller mixers and or accessories.



1SKB19-R1006V



1SKB19-R1006

SKB durable mobile rackmount systems that set an industry standard for over a decade

# Family of Products

## RotoRoller with Wheels

1SKB-1906

The perfect expansion for the Roto GigRig or Roto Mini GigRig, the 1SKB-1906 RotoRoller provides 6U of additional rack space. Either Roto GigRig fits securely on the top while the heavy duty casters allow for easy mobility.

1SKB-1906



## GigWing Desktop

1SKB-1818

The ideal accessory, the 1SKB-1818 GigWing Desktop hook and loop fastener covered platforms attach to the sides of the original Roto GigRig or Roto Mini GigRig for added workspace.



1SKB-1818



## Studio Flyer®

1SKB19-RSF2U

1SKB19-RSF4U

The Studio Flyer series is the perfect solution for housing your portable recording studio. With either 2U or 4U of rack space for recording gear and a top surface for laptops or flat screens, both Studio Flyer cases provide superior protection for your valuable gear on the road. Both Studio Flyer cases feature: a lift-off lid that includes thick convoluted foam to secure the laptop while closed, cable pass-through that allows the laptop and rack gear to remain cabled up at all times, eight adjustable cleats, in-line wheels, a pull out handle, a cushioned rubber over-molded carry handle and a TSA locking trigger release latching system.

The 2U Studio Flyer features a fold down rack door to protect your gear during transport and doubles as a workspace during use. Due to its compact size, the 2U model is perfect as carry-on luggage.

The 4U Studio Flyer features convenient removable front and back doors offering easy access to rack gear, an expanded top surface for larger laptops or flat screens, an expanded interior rack depth, two additional in-line wheels to provide secure rolling with heavier loads, and an additional cushion grip rubber over-molded lift handle. The 4U Studio Flyer is stackable with the new 1SKB-R4W and 1SKB-R6W Roto Rolling Racks.



1SKB19-RSF2U



1SKB19-RSF4U  
with 4Wheel Drive





# Rackmount Technology

## Standard Racks

The SKB vacuum formed rack made history when it was introduced in 1992. The very first molded rack provides a real professional alternative to the heavy wood racks. The SKB line of 19" stackable racks has received worldwide acclaim for durability, convenience and easy handling. Made of ultra high molecular weight polyethylene, they are less than half the weight of old fashioned wood racks and provide maximum protection. Protect your product with the original and don't be fooled by cheap copies.

- rear rails
- optional caster kit

Standard Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
2U ATA Effects Rack	1SKB19-2U	15"	17"	9.0	21" x 20 1/4" x 5 1/2"
3U ATA Effects Rack	1SKB19-3U	15-3/4"	18-1/2"	11.5	21 1/2" x 22" x 7 3/4"
4U ATA Effects Rack	1SKB19-4U	15-3/4"	18-1/2"	12.0	21 1/2" x 22" x 9 1/2"
6U ATA Effects Rack	1SKB19-6U	15-3/4"	18-1/2"	14.0	21 1/2" x 22" x 13"
8U ATA Effects Rack	1SKB19-8U	15-3/4"	18-1/2"	16.0	21 1/2" x 22" x 16 1/2"
10U ATA Effects Rack	1SKB19-10U	15-3/4"	18-1/2"	19.5	21 1/2" x 22" x 20"
12U ATA Effects Rack	1SKB19-12U	15-3/4"	18-1/2"	21.0	21 1/2" x 22" x 23 1/2"
Standard Roto Caster Kit	1SKB-1904	-	-	12.4	20" x 22 1/4" x 5 1/2"



Standard Racks

## Shallow Racks

The 10.5" depth on 2U, 3U and 4U space X-Racks will accommodate a wide variety of components such as: effect processors, signal processors, power conditioners, bass amps, and wireless microphone systems. The roto molded X-Racks are durable and the "X" pattern provides for secure stacking.

- rear access panel

Shallow Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
2U Shallow "X" Rack	1SKB-XRack2	-	10 3/8"	6.0	22" x 20 1/4" x 5 1/2"
3U Shallow "X" Rack	1SKB-XRack3	-	10 3/8"	7.0	22" x 14 1/4" x 8 1/4"
4U Shallow "X" Rack	1SKB-XRack4	-	10 3/8"	8.3	22" x 14 1/4" x 10"



Shallow Racks

## Ultimate Strength Roto Racks

The Ultimate Strength Series is the best in American technology. With its roto molded tough shell, front and rear lids, recessed heavy-duty twist latches, molded in handles, shock absorbing rubber feet and the recognizable patented deep Roto-X pattern for solid stackability, these cases provide maximum protection. The unique molded-in unbendable valance and steel threaded rails make the Ultimate Strength Series Roto-Racks the new professional standard in the industry.

- threaded steel rails
- optional rear rails
- optional caster kit

US Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
4U US Roto Rack	1SKB-R4	17"	19"	14.0	22" x 23 3/4" x 10"
6U US Roto Rack	1SKB-R6	17"	19"	17.3	22" x 23 3/4" x 13 1/2"
8U US Roto Rack	1SKB-R8	17"	19"	23.1	22" x 23 3/4" x 17 3/4"
10U US Roto Rack	1SKB-R10	17"	19"	24.2	22" x 23 3/4" x 21"
12U US Roto Rack	1SKB-R12	17"	19"	27.3	22" x 23 3/4" x 24"
Standard Roto Caster Kit	1SKB-1904	-	-	12.4	20" x 22 1/4" x 5 1/2"



Ultimate Strength Roto Racks

## Roto Shockmount Racks - 20" Deep

Based on the Ultimate Strength Series design, the Roto Shockmount Rack Cases provide added protection for sensitive gear. With an internal frame mounted on adjustable elastomer shock absorbers on all eight corners, this revolutionary design controls the effects of shock and vibration on all three axes. The "sway" space around the internal frame provides natural air conditioning — very important for delicate equipment. They are less than half the weight of old fashioned wood racks.

- threaded steel rails
- rear rails
- optional caster kit
- shock resistant

Roto Shockmount Racks - 20" Deep	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
4U Shock Mount Rack	1SKB-R904U20	20"	23"	33.0	27 1/2" x 27 3/4" x 15 5/8"
6U Shock Mount Rack	1SKB-R906U20	20"	23"	42.0	27 1/2" x 27 3/4" x 19 1/2"
8U Shock Mount Rack	1SKB-R908U20	20"	23"	52.0	27 1/2" x 27 3/4" x 23 1/2"
10U Shock Mount Rack	1SKB-R910U20	20"	23"	60.0	27 1/2" x 27 3/4" x 27 1/2"
12U Shock Mount Rack	1SKB-R912U20	20"	23"	70.0	27 1/2" x 27 3/4" x 31 1/2"
14U Shock Mount Rack	1SKB-R914U20	20"	23"	104.0	27 1/2" x 27 3/4" x 35 1/2"
16U Shock Mount Rack	1SKB-R916U20	20"	23"	105.0	27 1/2" x 27 3/4" x 39 1/2"
Shockmount Roto Caster Kit	1SKB-1916	-	-	18.2	23 7/8" x 27 1/2" x 7"



Roto Shock Racks - 20" Deep

# The Right Rackmount and Shockmount Solution for any Transport Challenge

## Roto Shockmount Racks - 24", 28" & 30" Deep

Taking shockmount rack cases to the next level, this series introduces the compound hinge system and field replaceable latches. The compound hinge allows the door to swing out and completely around to lie flat against the main body of the case, or can be removed easily and reinstalled in seconds. The front and rear lids are designed to protrude into the base of the case. This unique double wall structure makes them incredibly stiff where the intersection occurs, giving these racks mil-spec sealing characteristics. Fewer latches allow for rapid deployment — even when stacked. Racks stack securely with the wheels on or off and include gasketed doors with pressure relief valve. Other features include: black powder coated stainless steel latches, removable 4" casters, and eight elastomeric shocks (load range of 40 to 150 lbs.) with provisions to add additional shocks. The 30" deep version is designed for extra deep servers while the 28" deep version includes the SKB Adjustable Rail Conversion System to accommodate proprietary mounting systems from companies such as Dell and Compaq.

- hinged doors
- threaded steel rails
- rear rails
- casters
- shock and water resistant

Roto Shockmount Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
4U Industrial Shock Mount Rack	3SKB-R906U24	24"	28 1/2"	TBA	TBA
6U Industrial Shock Mount Rack	3SKB-R906U24	24"	28 1/2"	80.0	27 1/2" x 36 3/4" x 20 1/2"
8U Industrial Shock Mount Rack	3SKB-R908U24	24"	28 1/2"	82.0	27 1/2" x 36 3/4" x 24 1/4"
10U Industrial Shock Mount Rack	3SKB-R910U24	24"	28 1/2"	90.0	27 1/2" x 36 3/4" x 27 1/2"
12U Industrial Shock Mount Rack	3SKB-R912U24	24"	28 1/2"	100.0	27 1/2" x 36 3/4" x 31 1/2"
14U Industrial Shock Mount Rack	3SKB-R914U24	24"	28 1/2"	105.0	27 1/2" x 36 3/4" x 34 1/2"
16U Industrial Shock Mount Rack	3SKB-R916U24	24"	28 1/2"	110.0	27 1/2" x 36 3/4" x 39"
4U Industrial Roto Shock Rack 28"	3SKB-R904U28	28 3/4"	34 1/2"	73.0	42 1/4" x 26 3/4" x 16 1/2"
6U Industrial Roto Shock Rack 28"	3SKB-R906U28	28 3/4"	34 1/2"	76.0	43" x 26 1/2" x 20 1/2"
8U Industrial Roto Shock Rack 28"	3SKB-R908U28	28 3/4"	34 1/2"	88.0	43" x 26 1/2" x 23 1/2"
10U Industrial Roto Shock Rack 28"	3SKB-R910U28	28 3/4"	34 1/2"	96.0	43" x 26 1/2" x 26 5/8"
4U Industrial Roto Shock Rack 30"	3SKB-R904U30	30"	34 1/2"	73.0	42 1/4" x 26 3/4" x 16 1/2"
6U Industrial Roto Shock Rack 30"	3SKB-R906U30	30"	34 1/2"	76.0	43" x 26 1/2" x 20 1/2"
8U Industrial Roto Shock Rack 30"	3SKB-R908U30	30"	34 1/2"	88.0	43" x 26 1/2" x 23 1/2"
10U Industrial Roto Shock Rack 30"	3SKB-R910U30	30"	34 1/2"	96.0	43" x 26 1/2" x 26 5/8"

## Roto Shockmount Rolling Racks

The Roto Shockmount Rolling Racks incorporate our recessed patent pending TSA trigger latches and low profile injection molded pull handle. The molded design provides extra stiffness in the lids and sides while also allowing for secure stacking.

- TSA latches
- threaded steel rails
- rear rails
- built-in wheels
- shock and water resistant
- low profile pull handle

Roto Shockmount Rolling Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
4U Roto Shockmount Rolling Rack	3SKB-R04U20W	20"	22 3/4"	44	28 1/4" x 28 3/4" x 16"
6U Roto Shockmount Rolling Rack	3SKB-R06U20W	20"	22 3/4"	51	28 1/4" x 28 3/4" x 19 1/2"
8U Roto Shockmount Rolling Rack	3SKB-R08U20W	20"	23 3/4"	56	28 1/4" x 30 7/8" x 23 1/4"

## Roto Rolling Racks

Designed as an upgrade to the Roll-X Racks, these new Rotomolded Rolling Racks feature industrial grade steel threaded rack rails, full access rear lids, sturdy built-in wheels and a cushion grip rubber over-molded pull handle. An optional rear-rack rail add-on (RRK4 or RRK6 kit) allows enhanced load capacity and stability.

- TSA latches
- threaded steel rails
- optional rear rails
- built-in wheels
- rear access door
- low profile pull handle

Roto Rolling Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
4U Roto Rolling Rack	1SKB-R4W	16"	20 3/16"	TBA	TBA
6U Roto Rolling Rack	1SKB-R6W	16"	20 3/16"	22	28 1/4" x 30 7/8" x 23 1/4"

## Roll-X Racks

Roll-X cases have a depth of 17.75" and accommodate 19" rack mountable equipment with 3, 4, 5 and 6 rack space models. Made of polyethylene rotationally molded polymer with 2.5" wheels and an industrial pull handle, the Roll-X rack cases interlock and stack with each other.

- rear access panel
- built-in wheels
- pull handle

Roll-X Racks	Model	Rail to Rail	Rail to Back	Wt. (lbs.)	Ext. Dimensions
3U RollX Rack	1SKB-RLX3	-	17 1/2"	12.2	24" x 21 1/4" x 8 1/4"
4U RollX Rack	1SKB-RLX4	-	17 1/2"	12.5	24" x 21 1/4" x 10"
5U RollX Rack	1SKB-RLX5	-	17 1/2"	14.0	24" x 21 1/4" x 12"
6U RollX Rack	1SKB-RLX6	-	17 1/2"	15.0	24" x 21 1/4" x 13 1/2"



Roto Shock Racks - 24" Deep



Roto Shock Racks 28" and 30" Deep



Roto Shockmount Rolling Racks



Roto Rolling Racks



Roll-X Racks



www.skbcases.com



Orange, CA

■ MUSIC PRODUCTS 800.410.2024 ■ INDUSTRIAL PRODUCTS 800.783.0087 ■ SPORTS PRODUCTS 800.654.5992

Dimensions are for reference only. SKB products are pictured on this page and elsewhere with optional accessories or equipment that are not included. Please consult with a SKB product specialist if you need assistance or additional information. Product specifications are subject to change without notice.